



M.S. EBONITE LINED (1:5) VENTURY EJECTOR ASSEMBLY



DESIGNED TO GIVE 1:5 RATIO AT 30 PSI AGAINST 3 PSI BACK PRESSURE

EJECTOR MODEL NO.	NOZZLE BORE MM.	THROAT BORE MM.	CONNECTIONS NB			TOTAL FLOW M3/Hr.	A	B	A-B	C
			POWER WATER	SUCTION	DELIVERY					
PE40	6	9.52	40	25	40	2.18	213	60	153	86
PE40	10	11.43	40	25	40	5.72	213	60	153	86
PE50	12	17.46	50	25	50	9.54	279	54	225	95
PE65	16	20	65	32	65	16.36	347	56	291	102
PE80	19	25.4	80	40	80	24.54	411	68	343	111
PE100	25	30.16	100	50	100	43.63	500	78	422	133
PE125	32	39.11	125	65	125	60	612	83	529	146
PE150	40	44.45	150	80	150	90	760	94	666	159

M.S. EBONITE LINED (1:1) VENTURY EJECTOR ASSEMBLY



DESIGNED TO GIVE 1:1 RATIO AT 30 PSI AGAINST 3 PSI BACK PRESSURE

EJECTOR MODEL NO.	NOZZLE BORE MM.	THROAT BORE MM.	CONNECTIONS			TOTAL FLOW M3/Hr.	A	B	C
			POWER WATER	SUCTION	DELIVERY				
PE26	4	10	20	20	20	1.70	103	61	63
PE36	5	12	20	25	25	2.45	163	94	87
PE46	6	16	20	32	33	4.36	208	118	89
PE56	8	20	25	40	40	6.81	262	172	89
PE66	10	23	32	40	50	9.81	293	190	102
PE76	12	33	40	50	50	17.45	319	208	111
PE86	16	40	50	80	80	27.27	366	244	127
PE96	20	48	65	80	100	39.27	394	266	127
PE07	25	64	80	100	100	69.82	450	303	127
PE27	40	95	125	150	200	157.10	773	559	152

PERECT ENGINEERING INDIA

Gat No. 191/2, Kuruli, Chakan, Tal - Khed, Dist.- Pune - 410501

Email Id-india.perfectengineering@gmail.com

Website - www.perfectengineeringindia.co.in & indiamart/perfectengineeringindia

Body Material: Carbon/Mild Steel with Ebonite Lined, Nozzle & Throat Polypropylene.
Optional: HDPE, Polypropylene/FRP Lined & Stainless Steel.